


X-RAIL XR.1 TECHNICAL SHEET



R-PROTECTION

X-RAIL LINE

X-RAIL CONNECTOR



A - ALTURA

TECHNICAL SPECS

- Steel tube S195T 60x3mm;
- 140x140mm fixing base made of DC01 steel and vulcanised neoprene;
- Two-layer epoxy paint treatment:
 - Yellow - RAL 1003;

GROUND ANCHORING

- Anchoring base:
 - 8mm steel;
 - 6mm vulcanised neoprene for impact cushioning;
- 4 installation holes M8/ M12.

REFERENCE	DESCRIPTION
XR900	900mm X-RAIL Connector
XR600	600mm X-RAIL Connector



+351 926 031 016
GERAL@R-PROTECTION.COM

WWW.R-PROTECTION.COM
RUA DA PAZ 90-94, PAVILHÃO 15
3800-587 CACIA, AVEIRO - PORTUGAL




X-RAIL XR.1 TECHNICAL SHEET



R-PROTECTION

X-RAIL LINE

X-RAIL DUAL CONNECTOR



A - HEIGHT

TECHNICAL SPECS

- Steel tube S195T 60x3mm;
- 140x140mm fixing base made of DC01 steel and vulcanised neoprene;
- Two-layer epoxy paint treatment:
 - Yellow - RAL 1003;

GROUND ANCHORING

- Anchoring base:
 - 8mm steel;
 - 6mm vulcanised neoprene for impact cushioning;
- 4 installation holes M8/ M12.

REFERENCE	DESCRIPTION
XRT900	900mm X-RAIL Dual Connector
XRT600	600mm X-RAIL Dual Connector



+351 926 031 016
GERAL@R-PROTECTION.COM

WWW.R-PROTECTION.COM
RUA DA PAZ 90-94, PAVILHÃO 15
3800-587 CACIA, AVEIRO - PORTUGAL

in o f


X-RAIL XR.1 TECHNICAL SHEET



R-PROTECTION

X-RAIL LINE

DUAL CONNECTORS



C - LENGHT

TECHNICAL SPECS

- Steel tube S195T 60x3mm;
- 2 galvanised steel couplings 54x1.5mm;
- R-LOCK system: modular click system;
- Two-layer epoxy paint treatment:
 - Yellow - RAL 1003;
 - Black - RAL 9005.

REFERENCE	DESCRIPTION
A90	90° Curved Connector
L1100	1100mm Connector
L1000	1000mm Connector
L900	900mm Connector
L800	800mm Connector
L700	700mm Connector

REFERENCE	DESCRIPTION
L600	600mm Connector
L500	500mm Connector
L400	400mm Connector
L300	300mm Connector
L200	200mm Connector



+351 926 031 016
GERAL@R-PROTECTION.COM

WWW.R-PROTECTION.COM
RUA DA PAZ 90-94, PAVILHÃO 15
3800-587 CACIA, AVEIRO - PORTUGAL

